

**From:** Trish Taylor/R3/USEPA/US  
**Sent:** 5/8/2012 11:18:27 AM

**To:** Richard Fetzner/R3/USEPA/US@EPA  
**CC:** Helen Duteau/R3/USEPA/US@EPA; David Polish/R3/USEPA/US@EPA  
**Subject:** Fw: EPA test findings

Hi Rich,

This is from: Ex. 6 - Personal Privacy **Ex. 5 - Deliberative**

Trish Taylor, Community Involvement Coordinator  
Hazardous Site Cleanup Division  
U.S. Environmental Protection Agency, Region 3  
1650 Arch Street, Philadelphia, PA  
phone: (215) 814 - 5539  
fax: (215) 814 - 3015

----- Forwarded by Trish Taylor/R3/USEPA/US on 05/08/2012 11:15 AM -----

**From:** Ex. 6 - Personal Privacy  
**To:** Trish Taylor/R3/USEPA/US  
**Date:** 05/08/2012 10:15 AM  
**Subject:** EPA test findings

I am waiting to hear a response to my questions. Where is the sodium coming from? Has the plume of contamination been mapped? If your cut off is 20,000 how can 40,000 and over be acceptable? What is your explanation for the alarming numbers concerning the methane? Do you really believe the water was like this here B.C.? Before Cabot?? For us the test results open up more questions. Are you dumping these results on the residents and going away? Sincerely,

**Ex. 6 - Personal Privacy**